KASTAMONU MEDICAL JOURNAL

Erratum

DOI: 10.51271/KMJ-0213

*Kastamonu Med J.* 2025;5(3):214

# Erratum to "Effects of phantom shocks on anxiety levels, coping skills and sleep quality in patients with implantable cardioverter/defibrillators" [Kastamonu Medical Journal 5 2 111 116]

Gözde Yontar[1], Neriman Aras[2]

[1]Department of Psychiatry, Samsun Training and Research Hospital, Samsun, Turkiye
[2]Department of Psychiatry, Samsun Mental Health and Disorders Hospital, Samsun, Turkiye

**Cite this article as:** Yontar G, Aras N. Erratum to "Effects of phantom shocks on anxiety levels, coping skills and sleep quality in patients with implantable cardioverter/defibrillators". *Kastamonu Med J.* 2025;5(3):214.

**Received:** 17.07.2025 ◆ **Accepted**: 29.07.2025 ◆ **Published**: 03.09.2025

**Dear Editor,**

We are writing to address an error identified in our recently published article titled "Effects of phantom shocks on anxiety levels, coping skills, and sleep quality in patients with implantable cardioverter/defibrillators" (doi:10.51271/KMJ-0194).

Upon careful review, we have discovered that two references-listed as numbers 19 and 20 in the bibliography-were inadvertently incorrect. While the citations within the main text of the manuscript correctly referred to the intended sources, the corresponding entries in the reference list mistakenly cited unrelated articles.

The corrected references should read as follows:

19. Elenizi K, Alharthi R. Incidence, risk factors and predictors of phantom shocks in patients with implantable cardioverter defibrillators: state-of-the-art review. *Arrhythm Electrophysiol Rev.* 2024;13:e18. doi:10.15420/aer.2024.25

20. Pedersen SS, Theuns DA, Jordaens L, Kupper N. Course of anxiety and device-related concerns in implantable cardioverter defibrillator patients the first year post-implantation. *Europace.* 2010;12(8):1119-1126. doi:10.1093/europace/euq154

We sincerely apologize for this unintentional oversight and any confusion it may have caused to readers. Please let us know if any further documentation or procedural steps are required to facilitate the correction.

We remain committed to upholding the highest standards of scholarly accuracy and integrity in the publication process.

Thank you for your understanding and attention to this matter.

Sincerely,

Gözde Yontar

**Corresponding Author:** Gözde Yontar, gozdeyontar@gmail.com

This work is licensed under a Creative Commons Attribution 4.0 International License.